





- \* TIPOLOGIA: Lampada a LED con tecnologia SMD con chip definito su una particolare lunghezza d'onda dello spettro.
- \* CARATTERISTICA: Il modello ANTI-INSETTI ha la caratteristica di non attirare gli insetti e trova applicazione privilegiata in ambienti aperti (terrazze, patio etc..).
- \* MATERIALE: Corpo e bulbo in policarbonato.
- \* APPLICAZIONI: Impiegabile in interni ed in esterni in apparecchi o Catenarie debitamente protette.
- \* NOTA BENE: Non impiegare con variatore di luce.

## **Caratteristiche Articolo**

Garattoriotiono Art			
	Codice Articolo	LA60AI	
	Tensione di lampada	200-240 V	
	Potenza nominale	7 W	
	Attacco	E27	
	Corrente di lampada	0,06 A	
	Tonalità della luce	Giallo anti-insetti	
	Temperatura di colore	1700 K	
	Apertura Fascio	270°	
	Diametro	55 mm	
	Lunghezza	107 mm	
	Peso	55 g	
Prestazioni			
	Durata di vita	20000 h	
Caratteristiche tec	eniche		
	Impiegabile con variatore di intensità luminosa	NO	
	Posiz di funzionamento	360°	
	Impiego in apparecchi aperti	SI	
	Numero di cicli ON-OFF	100000	
	Fattore di potenza	0,51	
	Tempo di riscaldamento fino al 60% del rendimento completo	Piena Luce Istantanea	
	Tempo di innesco	<0,2s	
	T(°C) ambiente di utilizzo	-25°C / +35°C	

All parts of this document are Duralamp ownership. All rights reserved. This document and the included information are provided without any responsibility deriving from mistakes or omissions. No part of this document can be cut, reproduced or used without written authorization. Duralamp maintains the right to change the included data without notice due to improvements of the products.



## PRODUCT DATASHEET Cod. LA60AI

Norme	△ Dir	attiva	di	riforir	nanta
INCHINE:	ни	emve	(H	шеш	пени

2011/65/UE \* RoHS 2012/19/UE \* RAEE 2014/30/UE \* Compatibilità Elettromagnetica 2014/35/UE \* Bassa Tensione EN 61547 \* anno 2010 EN 55015 \* anno 2014 EN 61000-3 -2 \* anno 2007 (+A1/+A2:2011) EN 61000-3-3 \* anno 2014 EN 62471 \* anno 2010 IEC/TR 62471-2 EN 62031 \* anno 2009 (+A1:2013) EN 62560 \* anno 2013 EN 60968 \* anno 2013 2010/30/EU \* Energy Consumption 874/2012 \* Regulation for Energy Labelling 2009/125/CE \* Progettazione Eco Compatibile

## Informazioni Spedizione

Dimensioni confezione singola L x H x L (mm)	56 x 56 x 120
Barcode Articolo	8011905860868
Imballo	25 pz
Barcode Master	8011905861643

All parts of this document are Duralamp ownership. All rights reserved. This document and the included information are provided without any responsibility deriving from mistakes or omissions. No part of this document can be cut, reproduced or used without written authorization. Duralamp maintains the right to change the included data without notice due to improvements of the products.